

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/775,274	02/10/2004	Huiyan Guo	ISA-128.01.	1279
63767 · FOLEY HOAC	7590 12/11/200° G LLP	·	EXAMINER	
PATENT GROUP (w/ISA)			NGUYEN, BAO THUY L	
155 SEAPORT BLVD. BOSTON, MA 02210-2600			ART UNIT	PAPER NUMBER
			1641	
			MAIL DATE	DELIVERY MODE
·			12/11/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/775,274	GUO-ET AL.				
Office Action Summary	Examiner	Art Unit				
	Bao-Thuy L. Nguyen	1641				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the o	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>27 S</u>	September 2007.					
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.				
Disposition of Claims		•				
4) ⊠ Claim(s) <u>13,15,16,18-21,36 and 37</u> is/are pend 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>13,15,16,18-21,36 and 37</u> is/are rejective. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 11.	epted or b) objected to by the drawing(s) be held in abeyance. Setion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	ts have been received. Is have been received in Application of the second in the secon	on No ed in this National Stage				
Attachment(s)	_					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 	4) Interview Summary Paper No(s)/Mail D					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date Decembra	5) Notice of Informal F 6) Other:					

Art Unit: 1641

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 27 September 2007 has been entered.
- 2. The amendment submitted 27 August 2007 has been entered.
- 3. Claims 1-12, 14, 17 and 22-35 have been cancelled.
- 4. Claims 13, 15-16, 18-21 and 36-37 are pending.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

10/775,274

Art Unit: 1641

6. Claims 13, 15-16, 18 and 36 are rejected under 35 U.S.C. 102(e) as being anticipated by Jerome et al (US 2003/0211634).

Jerome discloses a device comprising a flow matrix having at least three zones. A sample receiving zone, a label zone downstream from the sample zone having mobile labeled reagent specific for an analyte of interest, an observation area downstream of the label zone containing immobilized capture reagents specific for the analyte of interest. See paragraphs [0031] and [0032]. Jerome teaches labels comprising colloidal particles, dyed or colored latex particles, etc. See paragraph [0061]. The flow matrix is disposed on a matrix which bears a detectable mark thereon. The mark is placed directly underneath the observation area is invisible until a liquid sample is added. See paragraph [0035]. The mark is placed in a precisely controlled location within the window and can be printed directly on the plastic housing or on an intermediate member disposed between the housing and the test strip. Jerome also discloses a procedural control line in the observation area. The control line binds a label unrelated to the labeled analyte binding partner. Jerome also teaches an end of assay control zone indicator such a pH indicating reagent impregnated in the absorbent zone or at a location downstream of the capture zone. Upon contact with the sample, a pH change occurs in the processed matrix and is seen in an observation window over the control zone (i.e. the movement of the dye into the control zone indicates that a portion of liquid sample has moved through the test zone). See paragraphs [0100] and [0101].

Allowable Subject Matter

7. Claims 19-21 and 37 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter: the claims are defined over the prior art of record because the prior art of record fail to teach or make obvious a test strip having a control zone comprising two different dye reagents, one of which is immobilized therein and the other migrated thereto.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao-Thuy L. Nguyen whose telephone number is (571) 272-0824. The examiner can normally be reached on Tuesday -- Thursday from 9:00 a.m. - 3:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:

10/775,274

Art Unit: 1641

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Bao-Thuy L. Nguyen Primary Examiner

Art Unit 1641